

ROLLS RENEWABLE



WORLD CLASS BATTERY ENGINEERING

Rolls batteries are manufactured in Nova Scotia, Canada by the Surrette battery company, who have been in the battery manufacturing business since 1935.

Rolls batteries specialise in the production of deep cycle batteries for many market sectors in particular Renewable Energy and Remote Stand By Power operations.

Relied on worldwide, our batteries are internationally recognised for their dependability and rugged construction providing energy storage in the most challenging environments. It is not just the outstanding quality of our batteries that we are so well known for but also our continual advances in process, dedicated work force and unrivalled commitment to sustainability.

Rolls has an extensive product portfolio with both Flooded and AGM deep cycle battery ranges. We offer some distinctive advantages to our customers —

- Premium Battery Brand
- Excellent Stock Availability
- Fast Order Processing & Delivery
- Technical Back Up & System Support
- Competitive Commercial Terms
- Controlled Distribution Channels

PRODUCT OF CANADA



USED IN SYSTEMS AROUND THE WORLD

Rolls premium deep cycle batteries have earned a reputation of reliability and dependability in the renewable energy market.

Dual container construction, high-density polyethylene materials and unique "resitox" plate design provide a life expectancy that is among the longest in the battery industry.

Rolls has been the battery of choice for thousands of system installations around the world in some of the harshest environments on the planet, it is our customers that give us this well-earned reputation.

We work closely with distributors and system integrators to ensure perfect product synergy with all leading inverter/charger manufacturers including SMA, Outback, Studer, Victron and Mastervolt to name a few.

Projects have ranged from remote village electrification in Africa and South America to large community Island systems in Scotland and the South Atlantic. Renewable energy and stand by power systems installed in the Middle East and for telecoms in Scandinavia, the list goes on...

We understand the reliance on quality components and system balance in any off grid and stand by power environment and fully appreciate the importance batteries have to the success of any remote based project.



4000 SERIES

Rolls Flooded 4000 Series Batteries

The Rolls 4000 series batteries are available in 2V, 6V or 12V configuration and offer a wide range of capacities. They have a long life expectancy and one of the longest warranty periods available.

Features:

- Thick Plate Design
- Highest Density Active Material
- **■** Envelope Separators
- Increase Liquid Reserve
- Greater Rigidity
- Greater Durability
- Less Maintenance



4000 Series - 7 Year Warranty

Part Number	Voltage		Capacity in Ah		Dimensions (mm)	Weight Dry	Weight Wet			
	Ĭ	C100	C20	C10	LxWxH	(Kg)	(Kg)			
SERIES 4000 - 2 VOLT (1 CELL) - POLYPROPELENE CONTAINER										
S1450	2V	1452Ah	1124Ah	955	318 x 181 x 432	39.0	54.0			
S1660	2V	1660Ah	1284Ah	1091	318 x 181 x 432	41.0	58.0			
S1860	2V	1869Ah	1444Ah	1229	318 x 181 x 432	44.0	59.0			
		SERIES 4000	- 6 VOLT (3 CEL	L) - POLYPROPE	ELENE CONTAINER					
S290	6V	293Ah	220Ah	187Ah	259 x 181 x 279	27.0	31.0			
S480	6V	486Ah	375Ah	319Ah	318 x 181 x 425	35.0	49.0			
S550	6V	554Ah	428Ah	364Ah	318 x 181 x 425	41.0	53.0			
S605	6V	605Ah	468Ah	398Ah	318 x 181 x 425	44.0	57.0			
		SERIES 4000 -	12 VOLT (6 CE	LL) - POLYPROP	ELENE CONTAINER					
24HT 80	12V	106Ah	80Ah	68Ah	276 x 171 x 238	16.0	21.0			
27HT 90	12V	120Ah	90Ah	77Ah	321 x 171 x 238	19.0	25.0			
31HT 120	12V	148Ah	120Ah	101Ah	101Ah 330 x 171 x 238		28.0			
T12 136	12V	181Ah	136Ah	116Ah	345 x 171 x 286 33.0		41.0			
T12 250	12V	266Ah	200Ah	170Ah	391 x 178 x 365	44.0	57.0			

Cycle Life vs. Depth of Discharge





4500 SERIES

Rolls Flooded 4500 Series Batteries

Rolls 4500 Series batteries provide the convenience and portability of our most popular L16 4000 Series models, combined with the extended capacity and cycle life found in the heavy duty 5000 Series batteries.



4500 Series - 7 Year Warranty

Part Number	Voltage	Capacity in Ah			Dimensions (mm)	Dry Weight	Wet Weight		
		C100	C20	C10	LxWxH	(Kg)	(Kg)		
4500 SERIES - 2 VOLT									
S-1400EX	2V	1408	1000	830	321 x 185 x 426	42.0	57.0		
4500 SERIES - 6 VOLT									
S-500EX	6V	503	357	296	321 x 185 x 426	45.0	59.0		

Features:

- Water-Miser Fitted As Standard
- Compact Design For Easy Handling and Installation
- Superior Cycling Performance 2720 @ 50% D.O.D
- **Extended Warranty For Maximum System Durability**
- Rugged Plate Construction With Resistox Technology
- Full Pocket Enveloped Wrapped Positive Plates
- High Density Active Material Compound

Cycle Life vs. Depth of Discharge



ACCESSORIES











- Water-Miser
- Reduce Water Loss by up to 60%
- No Need To Ever Remove Caps
- Less Battery Maintenance
- Flame Retardent Characteristics

- - Maintenance Kit
- Distilled Water Dispenser PVC Gauntlet
- Hydrometer
- PVC Apron
- Eye Wash
- Safety Goggles
- Hazardous Sign
- Digital Multimeter

- **Battery Accessories**
 - Nuts and Bolts
 - Battery Link Leads
 - Terminal Covers

- Terminal Fuse Blocks
- CableCap Insulators
- Plus much more available...

System Components

5000 SERIES

Rolls Flooded 5000 Series Batteries

Rolls 5000 series batteries incorporate a new plate design with a larger surface area and higher density paste, providing increased performance for high current applications. Powerful and dependable, these models provide power for a wide range of renewable systems.

Features:

- Water-Miser Fitted As Standard
- Dual Container Construction
- Thick Plate Design
- Highest Density Active Material
- **■** Envelope Separators
- Increase Liquid Reserve






ase Liquiu neserve
inate Stray Current cid Leakage
Floids Separate 1 Sepa

5000	Series	_	10	Year	Warranty
0000	OCITCS	_	10	I Cai	viai i aiicy

Part	Voltono		Capacity in Ah		Dimensions (mm)	Weight Dry	Weight Wet					
Number	Voltage	C100	C20	C10 L x W x H		(Kg)	(Kg)					
SERIES 5000 - 2 VOLT (1 CELL) - DUAL CONTAINER												
2 KS 33P	2V	2490Ah	1766Ah	1466Ah	392 x 211 x 630	66.0	94.0					
2 OS 33P	2V	2655Ah	1880Ah	1560Ah	392 x 211 x 630	70.0	101.0					
2 YS 27P	2V	2969Ah	2106Ah	1748Ah	394 x 299 x 803	77.0	112.0					
2 YS 31P	2V	3426Ah	2430Ah	2017Ah	394 x 229 x 803	91.0	129.0					
2 YS 62P	2V	6853Ah	4860Ah	4034Ah	695 x 299 x 803	181.0	259.0					
		SERIES 500	00 - 4 VOLT (2 C	ELL) - DUAL CO	NTAINER							
4 CS 17P	4V	770Ah	546Ah	453Ah	365 x 210 x 464	44.0	58.0					
4 KS 21P	4V	1557Ah	1104Ah	916Ah	400 x 238 x 629	98.0	121.0					
4 KS 25P	4V	1904Ah	1350Ah	1121Ah	400 x 270 x 629	100.0	143.0					
4 KS 27P	4V	2062Ah	1460Ah	1212Ah	400 x 270 x 629	113.0	154.0					
		SERIES 500	00 - 6 VOLT (3 C	ELL) - DUAL CO	NTAINER							
6 CS 17P	6V	770Ah	546Ah	453Ah	559 x 210 x 464	81.0	100.0					
6 CS 21P	6V	963Ah	683Ah	567Ah	559 x 248 x 464	98.0	123.0					
6 CS 25P	6V	1156Ah	820Ah	681Ah	559 x 286 x 464	115.0	144.0					
6 CS 27P	6V	1253Ah	893Ah	741Ah	559 x 286 x 464	124.0	155.0					
		SERIES 500	0 - 12 VOLT (6 (CELL) - DUAL CO	ONTAINER							
12 CS 11P	12V	503Ah	357Ah	296Ah	599 x 286 x 464	100.0	123.0					





AGM SERIES 2

Rolls AGM Series 2

A dual purpose sealed maintenance free AGM battery this range offers both outstanding value and performance. The Series 2 range has all the leading design features associated with AGM technology offering the user both a lower self-discharge and an increased acceptance to charge current than conventional flooded wet batteries.

These batteries offer the perfect solution when looking to replace wet batteries or upgrade existing sealed batteries. Fitted with high grade brass and lead terminals and featuring convenient carry handles they also make use of a thick plate design and micro porous glass matt separator to deliver a high deep cycle rate and longer life.

Features:


- Cycle Performance 800 Cycles at 50% Discharge
- ABS Case & Cover Design Shock & Vibration Resistant
- Sealed Construction Maintenance Free
- Low Internal Resistance Faster Recharge
- Standard Sizes Available Popular 12v Models



AGM Series - 2 Year Warranty

Part Number			Capacity in Ah		Terminal	Dimensions (mm)	Weight (Kg)		
		C100	C20	C10	Туре	LxWxH			
	AGM SERIES 2								
	R12-80AGM	90	80	68	M8-TP08	260 x 169 x 237	23.0		
	R12-100AGM	110	100	86	M8-TP08	307 x 169 x 237	27.0		
12V	R12-110AGM	120	110	90	M8-TP08	328 x 172 x 240	30.0		
	R12-200AGM	220	200	162	LT	530 x 209 x 214	56.0		
	R12-260AGM	290	260	200	LT	522 x 268 x 240	73.0		

Cycle Life vs. Depth of Discharge





Number of Cycles

Rolls Terminal Configurations									
Post Terminal	DT (Dual Terminal)	LT (Lug Terminal)	M8 (Stud)	TP08 (Brass Post)					

AGM SERIES 5

Rolls AGM Series 5 Batteries

Rolls has designed a Deep Cycle VRLA battery with high reserve capacity, long cycle life and low internal resistance, while achieving superior cranking performance. Rolls AGM batteries are the smart choice for demanding renewable applications.

They are designed and built differently than standard batteries. They use more lead, heavier plates and other proprietary materials that enable them to deliver more power and capacity over many life cycles.

Features:


- Sealed Construction Maintenance Free
- High Density Plate High Capacity
- Heavy Duty Thick Grids True Deep Cycle Construction
- ABS Case and Cover Shock and Vibration Resistant
- Low Internal Resistance Faster Recharge
- Microporous Glass Matt Separator Enhanced Electrolyte Retention
- All Standard Sizes Available For All Application Requirements



AGM Series - 5 Year Warranty

Doub			Capacity in Ah		Torminal	Dimensions (mm)	Wajashi		
Part Number	Voltage				Terminal Type	Dimensions (mm) L x W x H	Weight (Kg)		
		C100	C20	C10	71.		(3/		
AGM SERIES 5 - 2 VOLT									
S2-1275AGM	2V	1275	1150	945	M10	295 x 178 x 411	58		
AGM SERIES 5 - 6 VOLT									
S6-275AGM	6V	275	250	229	M8-TP08	262 x 181 x 273	35		
S6-370AGM	6V	370	335	300	DT	295 x 178 x 366	48		
S6-460AGM	6V	460	415	374	DT	295 x 178 x 424	56		
			AGM SERIES	5 - 12 VOLT					
S12-95AGM	12V	95	85	77	M8-TP08	260 x 169 x 237	25		
S12-116AGM	12V	116	105	95	M8-TP08	307 x 169 x 233	30		
S12-128AGM	12V	128	115	104	M8-TP08	328 x 172 x 236	33		
S12-160AGM	12V	160	145	131	M8-TP08	341 x 173 x 309	44		
S12-230AGM	12V	230	210	189	LT	530 x 209 x 238	61		
S12-240AGM	12V	240	215	193	DT	381 x 178 x 371	60		
S12-290AGM	12V	290	260	234	LT	521 x 269 x 245	78		









www.rolls-battery.com

EUROPEAN SALES & MARKETING: BARDEN UK LTD.

RBBRO-RE-V6